



# 

Photos and drawings are purely indicative. Sizes and colors are subject to change.





# Balloonseal: Description

The EXCEPTIONAL locking system proved to be the safest in the world.

Thanks to the double steel spring that is inside the seal head, insert the metal strap fully until the locking tooth clicks twice into place. After it has been blocked, it's impossible to reopen the fixed length metal seal without breaking it and leaving any evidence of tampering.





# Balloonseal: Technical data

### PRINTING AND NUMBERING

- Relief or laser marking
- Sequenced numbering up to 7 digits
- Customization up to 16 characters on one line

#### **MATERIAL:**

Plated aluminium

### **PACKAGING:**

Cartons of 1000 seals in bundles of 100 seals

Carton size: 39,5x29x20 cm

Carton weight: 8,5 kg

215 mm







# Balloonseal: Example of marking



### Balloonseal: How to use



Insert the seal tail inside the door handle holes.



Insert the tail of the seal in the back hole of the seal head.



By doing so the seal is locked. The only way to open it is to break it.



### Balloonseal: Certificates





1175 CHURCH STREET . BOHEMIA, LONG ISLAND, NEW YORK 1171 AREA CODE 631 589-630



13 August 2018 416148-07-04-C18-0810

#### Certificate of Conformance for Freight Container Mechanical Seal Testing

Seal Classification: Indicative

LeghornGroup Srl Customer:

34, Via Degli Arrotini

Livorno

I-57121

Alessandro Della Bella Attention:

Purchase Order No.: 0185038 Strap Seal Sample Type:

Seal Name: BALLOON SEAL (as provided by customer) BALLOON SEAL (as provided by customer) Model No.:

0000711 through 0000735 Serial Nos.: Specification No.: ISO 17712:2013(E) Clause: 5

Date Received: 18 July 2018

Test Dates: 25 through 27 July 2018

A total of 30 samples were received. Dayton T. Brown, Inc. certifies that 25 samples, 5 for each test of the Seals referenced above were subjected to the following tests.

Test Name	Paragraph No.	Classification Rating
Tensile Test	5.2	Indicative
Shear Test	5.3	Indicative
Bending Test	5.4	Indicative
Impact Test at Room Temp	5.5	Indicative
Impact Test at Reduced Temp	5.5	Indicative

Results: The above listed tests were completed with no discrepancies noted. Refer to Test Report No. 416148-07-04-R18-0811 for complete details.



# LeghornGroup certificates









## Field of action of LeghornGroup

- **PROTECTION:** We can protect your goods and assets with security seals and various products for tamper protection. The company can create bespoke, technical solutions to meet client's requirements.
- **CONTROL:** We ensure goods and people can be monitored using security products and integrated complete hardware and software solutions that allow the operator to monitor and intervene in real time, even remotely.
- **IDENTIFICATION:** LeghornGroup's understanding of authentication along with their innovative technical products and solutions allow users to uniquely and securely identify, goods, vehicles, containers, animals and people.
- **TRACKING:** LeghornGroup's real time GPS tracking devices allow users to monitor location, status and movements of vehicles and people.
- **RFID SOLUTIONS:** LeghornGroup also manufactures solutions for product authenticity; automatic identification systems using RFID to aid traceability of objects, animals and people, offering new and efficient operations to speed up the supply chain;

Photos and drawings are purely indicative. Sizes and colors are subject to change.



### FINDUS@

info@leghorngroup.com



### LeghornGroup

S.r.1.

34/36 Via degli Arrotini 57121 Livorno (LI) Italy www.leghorngroup.com info@leghorngroup.com

LeghornGroup – India www.leghorngroup.in

**LeghornGroup** – Italy www.leghorngroup.it

LeghornGroup – U.S.A. www.leghorngroup.com

LeghornGroup – Belgium www.leghorngroup.be www.leghorngroup. nl LeghornGroup – Czech Republic www.leghorngroup.cz www.leghorngroup.pl

LeghornGroup – Greece www.leghorngroup.gr

LeghornGroup – Republic of Moldova www.leghorngroup.ro

LeghornGroup – España www.leghorngroup.es